ProGyp+

Performance Fertilizer



Greens Grade

Application Recommendations:

Actual application rate depends on your soil test results.

To maintain optimal growing conditions, apply TurfGyp+ at 4 pounds per 1,000 ft³ or 170 pounds per acre monthly through the growing season. Water in thoroughly.

To correct high sodium or loosen clay soils, apply TurfGyp+ at 9.5 pounds per 1000 ft³ or 400 pounds per acre. Water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Calcium (Ca)

Combined Sulfur (S)

Calcium Sulfate Dihydrate (CaSO₄ • 2H₂O)

22.5% 19.0%

96.0%

Derived From: Calcium Sulfate Dihydrate.

F002058 **NET WEIGHT 50 POUNDS (22.7 kg)**

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals. We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Limited Warranty

Manufacturer warrants that this product conforms to the guaranteed analysis. Manufacturer makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranties. In no such case shall manufacturer or the seller be liable for consequential, incidental, special, exemplary, or indirect damages resulting from the use or handling of this product. Any and all damages shall be limited to the amount paid for this product. The buyer assumes the risk of any such use.

TurfGyp+

Fairway Grade







<u>Application Recommendations:</u> Actual application rate depends on your soil test

To maintain optimal growing conditions, apply TurfGyp+ at 4 pounds per 1,000 ft3 or 170 pounds per acre monthly through the growing season. Water in thoroughly.

To correct high sodium or loosen clay soils, apply TurfGyp+ at 9.5 pounds per 1000 ft³ or 400 pounds per acre. Water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Calcium (Ca)

22.5%

Combined Sulfur (S)

19.0%

Calcium Sulfate Dihydrate (CaSO₄ • 2H₂O)

96.0%

Derived From: Calcium Sulfate Dihydrate.

F002058 NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn.

information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals. We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Limited Warranty

Manufacturer warrants that this product conforms to the guaranteed analysis. Manufacturer makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranties. In no such case shall manufacturer or the seller be liable for consequential, incidental, special, exemplary, or indirect damages resulting from the use or handling of this product. Any and all damages shall be limited to the amount paid for this product. The buyer assumes the risk of any such use.

Turf Fertilizer **Soil Enhancer Max**



Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Calcium (Ca) Sulfur (S)

Combined Sulfur (S)

Iron (Fe)

0.01% Water Soluble Iron (Fe)

23.0%

4.3%

1.0%

Derived From: Calcium Carbonate, Calcium Sulfate Dihydrate**, Protein Hydrolysate*, Iron Humate, Lignin Sulfonate and Molasses.

*Contains 10% Amino Acids from Protein Hydrolysate.

**Contains Humic and Fulvic Acid.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://fyn.ifas.ufl.edu/professionals/Gi-BMP_publications.com/metals. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer

MICRO PACK G

Micronutrients
Greens Grade





Greens Grade

Protene® hybrid fertilizers are ideal for maintaining organic components in your fertilizer program.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

CAUTION - Application of fertilizer material containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which may be toxic to ruminant animals.

Guaranteed Analysis

Calcuim (Ca)	4.5%
Magnesium (Mg)	2.0%
Copper (Cu)	0.5%
0.5% Water Soluble Copper (Cu)	
Iron (Fe)	10.0%
3.0% Water Soluble Iron (Fe)	
Manganese (Mn)	1.0%
1.0% Water Soluble Manganese (Mn)	
Molybdenum (Mo)	0.0025%
Zinc (Zn)	0.5%

Derived From: Iron Humate, Iron Sulfate, Magnesium Sulfate, Manganese Sulfate, Zinc Oxide, Sodium Molybdate, Calcium Sulfate and Molasses.

F002058 NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gifbmp07.pdf.

Turf Fertilizer

MICRO PACK &

Micronutrients

Fairway Grade





Protene® hybrid fertilizers are ideal for maintaining organic components in your fertilizer program.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

_

Not for use in organic crops and organic food production in the state of California

CAUTION - Application of fertilizer material containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which may be toxic to ruminant animals.

Guaranteed Analysis

Calcuim (Ca)	4.5%
Magnesium (Mg)	2.0%
Copper (Cu)	0.5%
0.5% Water Soluble Copper (Cu)	0.5/0
Iron (Fe)	10.0%
3.0% Water Soluble Iron (Fe)	10.070
Manganese (Mn)	1.0%
1.0% Water Soluble Manganese (Mn)	11070
Molybdenum (Mo)	0.0025%
Zinc (Zn)	0.5%

Derived From: Iron Humate, Iron Sulfate, Magnesium Sulfate, Manganese Sulfate, Zinc Oxide, Sodium Molybdate, Calcium Sulfate and Molasses.

F002058
NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer- Hybrid 0-0-7





Greens Grade

Application Rates:

 $\frac{3}{4}$ lb of K₂O apply 10.7 lbs per 1,000 sq.ft. $\frac{1}{2}$ lb of K₂O apply 7.2 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Soluble Potash (K ₂ O)	7.0%
Calcium (Ca)	20.0%
Magnesium (Mg)	3.6%
1.0% Water Soluble Magnesium (Mg)	
Sulfur (S)	12.0%
12.0% Combined Sulfur (S)	
Copper (Cu)	0.03%
0.03% Water Soluble Copper (Cu)	
Iron (Fe)	0.5%
0.21% Water Soluble Iron (Fe)	
Manganese (Mn)	0.2%
0.2% Water Soluble Manganese (Mn)	
Zinc (Zn)	0.05%
0.05% Water Soluble Zinc (Zn)	

Derived From: Sunflower Seed Hull Ash, Sulfate of Potash Magnesia, Calcium Sulfate Dihydrate*, Calcium Carbonate, Iron Sulfate, Iron Sucrate, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Protein Hydrolysate* and Molasses.
*Contains Amino Acids from Protein Hydrolysate.

*Contains 62% Protene TurfGyp +

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer- Hybrid 0-0-7





Fairway Grade

Application Rates:

½ Ib of K₂O apply 10.7 lbs per 1,000 sq.ft.
 ½ Ib of K₂O apply 7.2 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Soluble Potash (K₂O)	7.0%
Calcium (Ca)	20.0%
Magnesium (Mg)	3.6%
1.0% Water Soluble Magnesium (Mg)	0.078
Sulfur (S)	12.0%
12.0% Combined Sulfur (S)	12.078
Copper (Cu)	0.03%
0.03% Water Soluble Copper (Cu)	0.0576
Iron (Fe)	0.5%
0.21% Water Soluble Iron (Fe)	0.576
Manganese (Mn)	0.2%
0.2% Water Soluble Manganese (Mn)	0.278
Zinc (Zn)	0.05%
0.05% Water Soluble Zinc (Zn)	0.05%
The state of the state (21)	

Derived From: Sunflower Seed Hull Ash, Sulfate of Potash Magnesia, Calcium Sulfate Dihydrate*, Calcium Carbonate, Iron Sulfate, Iron Sucrate, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Protein Hydrolysate* and Molasses.

*Contains Amino Acids from Protein Hydrolysate.

*Contains 62% Protein TurfGvp +

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Organic Potash 0-5-34 Greens Grade





Application Rates: ³⁄₄ lb of K₂O apply 2.2 lbs per 1,000 sq.ft. ¹⁄₂ lb of K₂O apply 1.47 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Available Phosphoric Acid (P₂O₅)	5.0%
Soluble Potash (K ₂ O)	34.0%
Calcium (Ca)	2.0%
Magnesium (Mg)	1.5%
0.01% Water Soluble Magnesium (Mg)	
Sulfur (S)	3.5%
3.5% Combined Sulfur (S)	

Derived From: Sunflower Seed Hull Ash and Molasses.

F002058 NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.lfas.ufl.edu/professionals/Gi-BMP publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Organic Potash 0-5-34 Fairway Grade





Application Rates: 3/4 lb of K₂O apply 2.2 lbs per 1,000 sq.ft. 1/2 lb of K₂O apply 1.47 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Available Phosphoric Acid (P ₂ O ₅)	5.0%
Soluble Potash (K ₂ O)	34.0%
Calcium (Ca)	2.0%
Magnesium (Mg)	1.5%
0.01% Water Soluble Magnesium (Mg)	
Sulfur (S)	3.5%
3.5% Combined Sulfur (S)	

Derived From: Sunflower Seed Hull Ash and Molasses.

F002058
NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/Gl-BMP publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer - Hybrid

6-0-0 + 14% Fe





0.1%

Greens Grade

Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates:

6-7 lbs. of product per 1,000 sq. ft. depending on the deepness of color, and length of duration of color required.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

CAUTION - Application of fertilizer material containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (M) which may be toxic to ruminant animals.

Guaranteed Analysis

Total Nitrogen (N) 6.0% 4.0% Ammoniacal Nitrogen 1.0% Urea Nitrogen 0.64% Other Water Soluble Nitrogen 0.36% Water Insoluble Nitrogen* 2.0% Magnesium (Mg) 5.0% Sulfur (S) 5.0% Combined Sulfur (S) 14.0% Iron (Fe) 5.6% Water Soluble Iron (Fe) 0.5% Manganese (Mn) 0.006% Molybdenum (Mo)**

Derived From: Ammonium Sulfate, Methylene Urea, Urea, Protein Hydrolysate, Iron Humate, Ferrous Sulfate, Iron Amino Acid Complex, Magnesium Oxide, Manganese Oxide and Zinc Sulfate *1% Slowly Available Nitrogen from Methyleneureas.

**Contains 0,006% Molybdenum (Mo) from Iron Humate.

F002058 **NET WEIGHT 50 POUNDS (22.7 kg)**

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application.

Zinc (Zn)

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm, We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/qlfbmp07.pdf.

Turf Fertilizer - Hybrid

6-0-0 + 14% Fe

Fairway Grade



Performance Fertilizer



0.006%

0.1%

Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates:

6-7 lbs. of product per 1,000 sq. ft. depending on the deepness of color, and length of duration of color required.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

CAUTION - Application of fertilizer material containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (M) which may be toxic to ruminant animals.

Guaranteed Analysis

Total Nitrogen (N) 6.0% 4.0% Ammoniacal Nitrogen 1.0% Urea Nitrogen 0.64% Other Water Soluble Nitrogen 0.36% Water Insoluble Nitrogen* Magnesium (Mg) 2.0% Sulfur (S) 5.0% 5.0% Combined Sulfur (S) Iron (Fe) 14.0% 5.6% Water Soluble Iron (Fe) 0.5% Manganese (Mn)

Derived From: Ammonium Sulfate, Methylene Urea, Urea, Protein Hydrolysate, Iron Humate, Ferrous Sulfate, Iron Amino Acid Complex, Magnesium Oxide, Manganese Oxide and Zinc Sulfate.

*1% Slowly Available Nitrogen from Methyleneureas.

**Contains 0.006% Molybdenum (Mo) from Iron Humate.

F002058 NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application, Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

Molybdenum (Mo)**

Zinc (Zn)

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer 6-5-6 + 5% Ca

Fairway Grade





Protene® fertilizers are ideal for providing organic matter in a responsible fertilizer program. Free of sewerage sludge and manure.

Application Rates:

Apply liberally at the rate of 10-12 lbs per 1,000 sq. ft. depending on the soil conditions.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Performance Fertilizer

Total Nitrogen (N) 6.0% 0.3% Water Soluble Nitrogen 5.7% Water Insoluble Nitrogen* Available Phosphoric Acid (P205) 5.0% Soluble Potash (K2O) 6.0%

5.0% Calcium (Ca) 0.25% Iron (Fe)

0.01% Water Soluble Iron (Fe)

Derived From: Protein Hydrolysate, Feather Meal, Bone Meal, Sunflower Seed Hull Ash, Sulfate of Potash, Iron Humate, Iron Amino Acid Complex, and Molasses.

*Contains 5.7% Slowly Available Nitrogen from Protein Hydrolysate and Feather Meal

F002058

NET WEIGHT 25 POUNDS (11.3 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufi.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer 6-5-6 + 5% Ca

Fairway Grade

Performance Fertilizer



Protene® fertilizers are ideal for providing organic matter in a responsible fertilizer program. Free of sewerage sludge and manure.

Application Rates:

Apply liberally at the rate of 10-12 lbs per 1,000 sq. ft. depending on the soil conditions.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N)

0.3% Water Soluble Nitrogen

5.7% Water Insoluble Nitrogen*

Available Phosphoric Acid (P₂0₅)

Soluble Potash (K₂O)

Calcium (Ca)

Iron (Fe)

0.01% Water Soluble Iron (Fe)

Derived From: Protein Hydrolysate, Feather Meal, Bone Meal, Sunflower Seed Hull Ash, Sulfate of Potash, Iron Humate, Iron Amino Acid Complex, and Molasses.

*Contains 5.7% Slowly Available Nitrogen from Protein Hydrolysate and Feather Meal.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/Gi-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/gifbmp07.pdf.

Turf Fertilizer 6-5-6 + 5% Ca

Greens Grade



5.0%

0.25%

Protene® fertilizers are ideal for providing organic matter in a responsible fertilizer program. Free of sewerage sludge and manure.

Application Rates:

Apply liberally at the rate of 10-12 lbs per 1,000 sq. ft. depending on the soil conditions.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N) 6.0% 0.3% Water Soluble Nitrogen

5.7% Water Insoluble Nitrogen*

Available Phosphoric Acid (P₂0₅)

Soluble Potash (K₂O)

e Potash (K₂O) 6.0% m (Ca) 5.0%

Calcium (Ca) Iron (Fe)

0.01% Water Soluble Iron (Fe)

Derived From: Protein Hydrolysate, Feather Meal, Bone Meal, Sunflower Seed Hull Ash, Sulfate of Potash, Iron Humate, Iron Amino Acid Complex, and Molasses.

*Contains 5.7% Slowly Available Nitrogen from Protein Hydrolysate and Feather Meal.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit **www.ProteneUSA.com**. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/glfbmp07.pdf.

Turf Fertilizer 6-5-6 + Mycorrhiza

Greens Grade



0.25%

Protene® fertilizers are ideal for providing organic matter in a responsible fertilizer program. Free of sewerage sludge and manure.

Application Rates:

Apply 7-10 lbs per 1,000 sq. ft. at a time of aeration. Drag back in holes with top-dress. Place under new sod or in top 2-3" of new seeding areas at the same rate.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N) 6.0%
0.3% Water Soluble Nitrogen
5.7% Water Insoluble Nitrogen*

Available Phosphoric Acid (P₂0₅) 5.0%
Soluble Potash (K₂O) 6.0%
Calcium (Ca) 5.0%

0.01% Water Soluble Iron (Fe)

Derived From: Protein Hydrolysate, Feather Meal, Bone Meal, Sunflower Seed Hull Ash, Sulfate of Potash, Iron Humate, Iron Amino Acid Complex, Ferrous Sulfate, and Molasses.

*Contains 5.7% Slowly Available Nitrogen from Protein Hydrolysate and Feather Meal.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS: Endo Mycorrhiza Species, 187 propagules per lb (.41 prop/gram ea.), Glomus Intradices, G. Mosseae, G. Aggregatum, G. Clarium, G. Deserticola, G. Monosporum, G. Brazilianum, G. Etunicatum, Gigaspora Margatita. Ecto Mycorrhiza Species, 35,000 propagules per lb (77 prop/gram ea.), Pisolithus Tinctorius, Laccaria Laccata, L. Bicolor, Scleroderma Citrinum, S. Cepa.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit **www.ProteneUSA.com**. Please note, spreaders need to be properly calibrated before application.

Iron (Fe)

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer

6-5-6 + Mycorrhiza

Fairway Grade





Protene® fertilizers are ideal for providing organic matter in a responsible fertilizer program. Free of sewerage sludge and manure.

Application Rates:

Apply 7-10 lbs per 1,000 sq. ft. at a time of aeration. Drag back in holes with top-dress. Place under new sod or in top 2-3" of new seeding areas at the same rate.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N)

0.3% Water Soluble Nitrogen

5.7% Water Insoluble Nitrogen*

Available Phosphoric Acid (P₂0₅)

Soluble Potash (K₂O)

Calcium (Ca)

Iron (Fe)

6.0%

6.0%

6.0%

0.01% Water Soluble Iron (Fe)

Derived From: Protein Hydrolysate, Feather Meal, Bone Meal, Sunflower Seed Hull Ash, Sulfate of Potash, Iron Humate, Iron Amino Acid Complex, Ferrous Sulfate, and Molasses.

*Contains 5.7% Slowly Available Nitrogen from Protein Hydrolysate and Feather Meal.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS: Endo Mycorrhiza Species, 187 propagules per lb (.41 prop/gram ea.), Glomus Intradices, G. Mosseae, G. Aggregatum, G. Clarium, G. Deserticola, G. Monosporum, G. Brazilianum, G. Etunicatum, Gigaspora Margatita. Ecto Mycorrhiza Species, 35,000 propagules per lb (77 prop/gram ea.), Pisolithus Tinctorius, Laccaria Laccata, L. Bicolor, Scleroderma Citrinum, S. Cepa.

F002058

NET WEIGHT 25 POUNDS (11.3 kg)

SPREADER SETTINGS: For all spreader settings please visit **www.ProteneUSA.com**. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer

6-5-6 + Mycorrhiza

Fairway Grade



Protene® fertilizers are ideal for providing organic matter in a responsible fertilizer program. Free of sewerage sludge and manure.

Application Rates:

Apply 7-10 lbs per 1,000 sq. ft. at a time of aeration. Drag back in holes with top-dress. Place under new sod or in top 2-3" of new seeding areas at the same rate.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N) 6.0%

0.3% Water Soluble Nitrogen 5.7% Water Insoluble Nitrogen*

Available Phosphoric Acid (P₂0₅) 5.0% Soluble Potash (K₂O) 6.0%

Calcium (Ca) 5.0% Iron (Fe) 0.25%

0.01% Water Soluble Iron (Fe)

Derived From: Protein Hydrolysate, Feather Meal, Bone Meal, Sunflower Seed Hull Ash, Sulfate of Potash, Iron Humate, Iron Amino Acid Complex, Ferrous Sulfate, and Molasses.

*Contains 5.7% Slowly Available Nitrogen from Protein Hydrolysate and Feather Meal.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS: Endo Mycorrhiza Species, 187 propagules per lb (.41 prop/gram ea.), Glomus Intradices, G. Mosseae, G. Aggregatum, G. Clarium, G. Deserticola, G. Monosporum, G. Brazilianum, G. Etunicatum, Gigaspora Margatita. Ecto Mycorrhiza Species, 35,000 propagules per lb (77 prop/gram ea.), Pisolithus Tinctorius, Laccaria Laccata, L. Bicolor, Scleroderma Citrinum, S. Cepa.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit **www.ProteneUSA.com**. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer - 100 % Organic

8-0-4

Greens Grade





Protene® fertilizers are ideal for providing organic matter in a responsible fertilizer program. Free of sewerage sludge and manure.

Application Rates:

3/4 lb of N apply 9.4 lbs per 1,000 sq.ft. 1/2 lb of N apply 6.25 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N)
0.6% Water Soluble Nitrogen
7.4% Water Insoluble Nitrogen*
Soluble Potash (K2O)

4.0%

8.0%

Derived From: Protein Hydrolysate, Feather Meal, Sunflower Seed Hull Ash, and Molasses.

*Contains 7.4% Slowly Available Nitrogen from Protein Hydrolysate.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit **www.ProteneUSA.com**. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer - 100 % Organic

8-0-4

Fairway Grade





Protene® fertilizers are ideal for providing organic matter in a responsible fertilizer program. Free of sewerage sludge and manure.

Application Rates:

_

3/4 lb of N apply 9.4 lbs per 1,000 sq.ft.
 1/2 lb of N apply 6.25 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N)
0.6% Water Soluble Nitrogen
7.4% Water Insoluble Nitrogen*
Soluble Potash (K2O)

4.0%

8.0%

Derived From: Protein Hydrolysate, Feather Meal, Sunflower Seed Hull Ash, and Molasses.

*Contains 7.4% Slowly Available Nitrogen from Protein Hydrolysate.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer - Hybrid

12-0-24

Greens Grade





Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates:

3/4 lb of N apply 6.25 lbs per 1,000 sq.ft. 1/2 lb of N apply 4.2 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N) 12.0%

0.9% Ammoniacal Nitrogen

2.1% Urea Nitrogen

3.3% Other Water Soluble Nitrogen

1.7* Slowly Available Water Soluble Nitrogen*

4.0% Water Insoluble Nitrogen*

Soluble Potash (K2O) 24.0% Sulfur (S) 10.0%

10.0% Combined Sulfur (S)

Iron (Fe)

0.01% Water Soluble Iron (Fe)

Manganese (Mn) 0.25%

0.25% Water Soluble Manganese (Mn) Zinc (Zn)

0.25% Water Soluble Zinc (Zn)

0.25%

0.5%

Derived From: Methylene Urea, Sunflower Seed Hull Ash, Urea, Protein Hydrolysate, Feather Meal, Ammonium Sulfate, Sulfate of Potash, Iron Humate, Manganous Sulfate and Zinc Sulfate. *5.7% Slowly Available Nitrogen form Methyleneureas and Protein Hydrolysate.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer - Hybrid 12-0-24 **Fairway Grade**





Performance Fertilizer

Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates: 3/4 lb of N apply 6.25 lbs per 1,000 sq.ft. $\frac{1}{2}$ lb of N apply 4.2 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N)

12.0%

0.9% Ammoniacal Nitrogen

2.1% Urea Nitrogen

3.3% Other Water Soluble Nitrogen

1.7* Slowly Available Water Soluble Nitrogen*

4.0% Water Insoluble Nitrogen*

Soluble Potash (K₂O)

24.0%

Sulfur (S)

10.0%

10.0% Combined Sulfur (S) Iron (Fe)

0.01% Water Soluble Iron (Fe)

0.5%

Manganese (Mn)

0.25% Water Soluble Manganese (Mn)

0.25%

Zinc (Zn)

0.25%

0.25% Water Soluble Zinc (Zn)

Derived From: Methylene Urea, Sunflower Seed Hull Ash, Urea, Protein Hydrolysate, Feather Meal, Ammonium Sulfate, Sulfate of Potash, Iron Humate, Manganous Sulfate and Zinc Sulfate. *5.7% Slowly Available Nitrogen form Methyleneureas and Protein Hydrolysate.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application.

Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals We recommend that you follow the Green industries BMP'S at; http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/dcs/nonpoint/glfbmp07.pdf.

Turf Fertilizer - Hybrid 15-22-10

Greens Grade



Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates:
34 lb of N apply 5 lbs per 1,000 sq.ft.
15 lb of N apply3.3 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N)	15.0%
4.4% Ammoniacal Nitrogen	
2.4% Urea Nitrogen	
3.3% Other Water Soluble Nitrogen*	
4.9% Water Insoluble Nitrogen*	
Available Phospohoric Acid (P ₂ O ₅)	22.0%
Soluble Potash (K ₂ O)	10.0%
Sulfur (S)	3.3%
3.3% Combined Sulfur (S)	0.070
Iron (Fe)	1.5%
0.75% Water Soluble Iron (Fe)	

Derived From: Methylene Urea, Urea, Protein Hydrolysate, Feather Meal, Ammonium Phosphate, Sunflower Seed Hull Ash, Sulfate of Potash, Iron Humate, Ferrous Sulfate and Iron Amino Acid

*8.2% Slowly Available Nitrogen form Methyleneureas, Protein Hydrolysate and Feather Meal

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer - Hybrid

15-22-10

Fairway Grade



Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates:

3/4 lb of N apply 5 lbs per 1,000 sq.ft.

1/2 lb of N apply3.3 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N)

4.4% Ammoniacal Nitrogen

2.4% Urea Nitrogen

3.3% Other Water Soluble Nitrogen*

4.9% Water Insoluble Nitrogen*

Available Phospohoric Acid (P₂O₅)

22.0%

Soluble Potash (K₂O)

3.3%

Sulfur (S)

3.3% Combined Sulfur (S)

Iron (Fe)

15.0%

Derived From: Methylene Urea, Urea, Protein Hydrolysate, Feather Meal, Ammonium Phosphate, Sunflower Seed Hull Ash, Sulfate of Potash, Iron Humate, Ferrous Sulfate and Iron Amino Acid Complex.

0.75% Water Soluble Iron (Fe)

*8.2% Slowly Available Nitrogen form Methyleneureas, Protein Hydrolysate and Feather Meal

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

We recommend that you follow the Green Industries BMP'S at: http://fyn.lfas.ufl.edu/professionals/GI-BMP_publications.htm.

We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer Hybrid 19-0-19

Greens Grade



Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates:

3/4 lb of N apply 3.95 lbs per 1.000 sa.ft.

 $\frac{1}{2}$ lb of N apply 2.6 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway. sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Gua	ranteed	Analysis	;

Cuarantecca milary 313	
Total Nitrogen (N)	19.0%
1.8% Ammoniacal Nitrogen	
3.3% Urea Nitrogen	
5.2% Other Water Soluble Nitrogen*	
8.7% Water Insoluble Nitrogen*	
Soluble Potash (K2O)	19.0%
Sulfur (S)	8.6%
8.6% Combined Sulfur (S)	
Iron (Fe)	0.5%
0.01% Water Soluble Iron (Fe)	
Manganese (Mn)	0.25%

0.25% Water Soluble Manganese (Mn) 0.25%

Zinc (Zn)

0.25% Water Soluble Zinc (Zn)

Derived From: Methylene Urea, Urea, Protein Hydrolysate, Feather Meal, Ammonium Sulfate, Sulfate of Potash, Sunflower Seed Hull Ash, Iron Humate, Iron Amino Acid Complex, Manganese Sulfate and Zinc Sulfate.

*13.9% Slowly Available Nitrogen from Methyleneureas, Protein Hydrolysate, and Feather Meal. F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

FOR FLORIDA: We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/qffbmp07.pdf.

Turf Fertilizer Hybrid 19-0-19

Fairway Grade



0.25%

Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates:

% lb of N apply 3.95 lbs per 1,000 sq.ft.

1/2 lb of N apply 2.6 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

19.0%
19.0%
8.6%
0.5%
0.25%

Derived From: Methylene Urea, Urea, Protein Hydrolysate, Feather Meal, Ammonium Sulfate, Sulfate of Potash, Sunflower Seed Hull Ash, Iron Humate, Iron Amino Acid Complex, Manganese Sulfate and Zinc Sulfate.

*13.9% Slowly Available Nitrogen from Methyleneureas, Protein Hydrolysate, and Feather Meal. F002058

0.25% Water Soluble Zinc (Zn)

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

Zinc (Zn)

FOR FLORIDA: We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer Hybrid 19-2-19

Protene !

Greens Grade

Performance Fertilizer

Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates:

3/4 lb of N apply 3.95 lbs per 1,000 sq.ft.

1/2 lb of N apply 2.6 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysi

Total Nitrogen (N)	19.0%
1.8% Ammoniacal Nitrogen	
3.3% Urea Nitrogen	
5.2% Other Water Soluble Nitrogen*	
8.7% Water Insoluble Nitrogen*	
Available Phosphoric Acid (P ₂ O ₅)	2.0%
Soluble Potash (K2O)	19.0%
Sulfur (S)	8.6%
8.6% Combined Sulfur (S)	
Iron (Fe)	0.5%
0.01% Water Soluble Iron (Fe)	
Manganese (Mn)	0.25%

Derived From: Methylene Urea, Urea, Protein Hydrolysate, Feather Meal, Ammonium Sulfate, Ammonium Phosphate, Sulfate of Potash, Sunflower Seed Hull Ash, Iron Humate, Iron Amino Acid Complex, Manganese Sulfate and Zinc

0.25%

*13.9% Slowly Available Nitrogen from Methyleneureas, Protein Hydrolysate, and Feather Meal. F002058

0.25% Water Soluble Manganese (Mn)

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

FOR FLORIDA: We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer Hybrid

19-2-19

Fairway Grade



0.25%

0.25%

Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates

34 lb of N apply 3.95 lbs per 1,000 sq.ft.

1/2 lb of N apply 2.6 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guara	ntee	A be	nal	/sis
- 4414		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	HULL	

Total Nitrogen (N)	19.0%
1.8% Ammoniacal Nitrogen	
3.3% Urea Nitrogen	
5.2% Other Water Soluble Nitrogen*	
8.7% Water Insoluble Nitrogen*	
Available Phosphoric Acid (P ₂ O ₅)	2.0%
Soluble Potash (K2O)	19.0%
Sulfur (S)	8.6%
8.6% Combined Sulfur (S)	
Iron (Fe)	0.5%
0.01% Water Soluble Iron (Fe)	

Derived From: Methylene Urea, Urea, Protein Hydrolysate, Feather Meal, Ammonium Sulfate, Ammonium Phosphate, Sulfate of Potash, Sunflower Seed Hull Ash, Iron Humate, Iron Amino Acid Complex, Manganese Sulfate and Zinc Sulfate

*13.9% Slowly Available Nitrogen from Methyleneureas, Protein Hydrolysate, and Feather Meal.

0.25% Water Soluble Manganese (Mn)

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

Manganese (Mn)

Zinc (Zn)

FOR FLORIDA: We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

Turf Fertilizer - Hybrid 20-0-5 + 4% Fe

Greens Grade



4.0%

0.25%



Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates:

3/4 lb of N apply 3.75 lbs per 1,000 sq.ft. 1/2 lb of N apply 2.5 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N)

7.0% Ammoniacal Nitrogen

2.5% Urea Nitrogen

4.0% Other Water Soluble Nitrogen*

6.5% Water Insoluble Nitrogen*

Soluble Potash (K2O) 5.0% Sulfur (S) 10.0%

10% Combined Suffur (S)

Iron (Fe)

1.6% Water Soluble Iron (Fe)

Manganese (Mn) 0.25%

0.25% Water Soluble Manganese (Mn)

Zinc (Zn)

0.25% Water Soluble Zinc (Zn)

Derived From: Methylene Urea, Urea, Protein Hydrolysate, Feather Meal, Ammonium Sulfate, Sulfate of Potash, Sunflower Seed Hull Ash, Ferrous Sulfate, Iron Humate, Iron Amino Acid Complex, Manganese Sulfate and Zinc Sulfate

*10.5% Slowly Available Nitrogen from Methyleneureas, Protein Hydrolysate, and Feather Meal.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

FOR FLORIDA: We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/qlfbmp07.pdf.

Turf Fertilizer - Hybrid 20-0-5 + 4% Fe

Fairway Grade





Protene® hybrid fertilizers are ideal for providing organic matter in your fertilizer program.

Application Rates:

3/4 lb of N apply 3.75 lbs per 1.000 sq.ft. 1/2 lb of N apply 2.5 lbs per 1,000 sq.ft.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

To avoid tracking do not apply to wet turf. Apply only to dry turf and water in thoroughly.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N)

7.0% Ammoniacai Nitrogen

2.5% Urea Nitrogen

4.0% Other Water Soluble Nitrogen*

6.5% Water Insoluble Nitrogen*

Soluble Potash (K2O) Sulfur (S)

10% Combined Sulfur (S)

Iron (Fe)

1.6% Water Soluble Iron (Fe) Manganese (Mn)

0.25% Water Soluble Manganese (Mn)

Zinc (Zn)

0.25%

0.25%

5.0%

4.0%

10.0%

0.25% Water Soluble Zinc (Zn)

Derived From: Methylene Urea, Urea, Protein Hydrolysate, Feather Meal, Ammonium Sulfate, Sulfate of Potash, Sunflower Seed Hull Ash, Ferrous Sulfate, Iron Humate, Iron Amino Acid Complex, Manganese Sulfate and Zinc Sulfate

*10.5% Slowly Available Nitrogen from Methyleneureas, Protein Hydrolysate, and Feather Meal.

F002058

NET WEIGHT 50 POUNDS (22.7 kg)

SPREADER SETTINGS: For all spreader settings please visit www.ProteneUSA.com. Please note, spreaders need to be properly calibrated before application. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

FOR FLORIDA: We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf.

2-0-0

Liquid Protein Hydrolysate



Protene® Foliar/Root Liquids feed the leaf AND root system. Protene® Foliar /Root Liquid Fertilizers are safe to use on all turf types, and all climate zones.

Application Rates:

For cool season turf, apply 3-9 oz. per 1,000 sq. ft. as a maintenance rate every 10- 14 days or as required. Turf showing signs of deficiency, apply at 9-12 oz. every 7-10 days or as required.

For warm season turf apply 3-12 oz. per 1,000 sq. ft. every 10-14 days as a maintenance rate. Turf showing signs of deficiency apply 11-15 oz. per 1,000 sq. ft. every 7-10 days or as required.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N) 2.0% 0.2% Other Water Soluble Nitrogen* 1.8% Water Insoluble Nitrogen*

Derived From: Protein Hydrolysate*, Citric Acid and Molasses.

*Contains Mixed L-Amino Acids from protein hydrolysate, essential fatty acids, nucleic acids, and natural carbohydrates.

F002058

2 x 2.5 GALLONS (9.46 L.) NET WEIGHT 42.5 POUNDS (19.28 kg)

SPRAY RIG PROTOCOL: Please ensure spray equipment is properly calibrated, and free of any contaminants. Always clean spray rig between applications. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and wash any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI- BMP_publications.htm.
We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf

SHAKE WELL BEFORE OPENING

2-0-0

Liquid Protein Hydrolysate



Protene® Foliar/Root Liquids feed the leaf AND root system. Protene® Foliar /Root Liquid Fertilizers are safe to use on all turf types, and all climate zones.

Application Rates:

For cool season turf, apply 3-9 oz. per 1,000 sq. ft. as a maintenance rate every 10- 14 days or as required. Turf showing signs of deficiency, apply at 9-12 oz. every 7-10 days or as required.

For warm season turf apply 3-12 oz. per 1,000 sq. ft. every 10-14 days as a maintenance rate. Turf showing signs of deficiency apply 11-15 oz. per 1,000 sq. ft. every 7-10 days or as required.

Not for use in organic crops and organic food production in the state of California

Guaranteed Analysis

Total Nitrogen (N) 2.0% 0.2% Other Water Soluble Nitrogen* 1.8% Water Insoluble Nitrogen*

Derived From: Protein Hydrolysate*, Citric Acid and Molasses.

*Contains Mixed L-Amino Acids from protein hydrolysate, essential fatty acids, nucleic acids, and natural carbohydrates.

F002058

2.5 GALLONS (9.46 L.) NET WEIGHT 21.25 POUNDS (9.64 kg)

SPRAY RIG PROTOCOL: Please ensure spray equipment is properly calibrated, and free of any contaminants. Always clean spray rig between applications. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and wash any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm.
We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf

SHAKE WELL BEFORE OPENING

4-0-2

"eighty two"





Performance Fertilizer

Protene® Foliar/Root Liquids feed the leaf AND root system. Protene® Foliar /Root Liquid Fertilizers are safe to use on all turf types, and all climate zones.

Application Rates:

For cool season turf, apply 3-9 oz. per 1,000 sq. ft. as a maintenance rate every 10- 14 days or as required. Turf showing signs of deficiency, apply at 9-12 oz. every 7-10 days or as required.

For warm season turf apply 3-12 oz. per 1,000 sq. ft. every 10-14 days as a maintenance rate. Turf showing signs of deficiency apply 11-15 oz. per 1,000 sq. ft. every 7-10 days or as required.

Not for use in organic crop and organic food production in the State of California

Guaranteed Analysis

Total Nitrogen (N)

0.70% Nitrate Nitrogen

0.70% Ammoniacal Nitrogen

1.40% Urea Nitrogen

0.05% Other Water Soluble Nitrogen*

1.15% Water Insoluble Nitrogen*

Soluble Potash (K2O)

Sulfur (S)

1.0% Combined Sulfur (S) Iron (Fe)

0.5% Water Soluble Iron (Fe) Manganese (Mn)

0.25% Water Soluble Manganese

0.25%

4.0%

2.0%

1.0%

0.5%

Derived From: Protein Hydrolysate, Urea Ammonium Nitrate, Sulfate of Potash, Ferrous Sulfate, Manganese Sulfate, Iron Amino Acid Complex, Manganese Amino Acid complex, Citric Acid and Molasses.

* Contains 1.2% Slowly Available Nitrogen from Protein Hydrolysate.

F002058

2.5 GALLONS (9.46 L) NET WEIGHT 22.7 POUNDS (10.3 kg) -(9.09 LBS PER GALLON)

SPRAY RIG PROTOCOL: Please ensure spray equipment is properly calibrated, and free of any contaminants. Always clean spray rig between applications. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and wash any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/GI-BMP_publications.htm. We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/alfbmp07.pdf

4-0-2

"eighty two"





4.0%

2.0%

1.0%

0.5%

0.25%

Protene® Foliar/Root Liquids feed the leaf AND root system. Protene® Foliar /Root Liquid Fertilizers are safe to use on all turf types, and all climate zones.

Application Rates:

For cool season turf, apply 3-9 oz. per 1,000 sq. ft. as a maintenance rate every 10-14 days or as required. Turf showing signs of deficiency, apply at 9-12 oz. every 7-10 days or as required.

For warm season turf apply 3-12 oz. per 1,000 sq. ft. every 10-14 days as a maintenance rate. Turf showing signs of deficiency apply 11-15 oz. per 1,000 sq. ft. every 7-10 days or as required.

Not for use in organic crop and organic food production in the State of California

Guaranteed Analysis

Total Nitrogen (N)

0.70% Nitrate Nitrogen

0.70% Ammoniacal Nitrogen

1.40% Urea Nitrogen

0.05% Other Water Soluble Nitrogen*

1.15% Water Insoluble Nitrogen*

Soluble Potash (K₂O)

Sulfur (S)

1.0% Combined Sulfur (S)

Iron (Fe) 0.5% Water Soluble Iron (Fe)

Manganese (Mn)

0.25% Water Soluble Manganese

Derived From: Protein Hydrolysate, Urea Ammonium Nitrate, Sulfate of Potash, Ferrous Sulfate, Manganese Sulfate, Iron Amino Acid Complex, Manganese Amino Acid complex, Citric Acid and Molasses.

* Contains 1.2% Slowly Available Nitrogen from Protein Hydrolysate.

F002058

2 X 2.5 GALLONS (18.92 L) NET WEIGHT 45.4 POUNDS (20.6 kg) - (9.09 LBS PER GALLON)

SPRAY RIG PROTOCOL: Please ensure spray equipment is properly calibrated, and free of any contaminants. Always clean spray rig between applications. Information regarding contents and levels of metals in this product is available on the internet at http://www.proteneusa.com/metals.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and wash any product that lands on the driveway, sidewalk, or street back into your lawn/garden.

We recommend that you follow the Green Industries BMP'S at: http://fyn.ifas.ufl.edu/professionals/Gi-BMP_publications.htm.
We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/qlfbmp07.pdf